

STATE OF CONNECTICUT

ONE HUNDRED AND THIRTY-FIRST
REGISTRATION REPORT

of

Births, Marriages, Divorces and Deaths

for the

YEAR ENDED DECEMBER 31, 1978

Issued by

THE STATE DEPARTMENT OF HEALTH SERVICES

HARTFORD

1

CONTENTS

	Page
Vital Statistics for 1978	
Summary for Year	4
Population Estimates	6
Births	6
Fetal Deaths	6
Deaths	7
Infant Mortality	9
Leading Causes of Death	7
Marriages	10
Divorces	10

TABLES

<u>Table No.</u>	<u>Content</u>	<u>Table No. In Previous Reports</u>	<u>Page</u>
1	Population Estimates by age and sex	III	11
2	Estimated populations and vital statistics by towns of residence	14	12
3	Live births, Connecticut residents by age of mother	4	20
4	Fetal deaths occurring in Connecticut	5	22
5	Causes of fetal deaths occurring in Connecticut	6	24
6	Causes of death, Connecticut residents	10	25
7	Causes of death among nonwhites	11	30

TABLES contd.

<u>Table No.</u>		<u>Table No. In Previous Reports</u>	<u>Page</u>
8	Deaths under one year of age (infants)	18	35
9	Selected causes of infant deaths	13	40
10	Leading causes of death by age groups	XIII	46
11	Number of present marriage for brides and grooms	24	49
12	Previous marital status of brides and grooms	23	49
13	Dissolution of marriages	25	50
14	Children under 18 involved in dissolution of marriages	XXXVIII	51
15	Duration of marriages dissolved in 1978	XXXVII	51
	Glossary		52
	Rates, calculation of		53

REGISTRATION OF VITAL STATISTICS IN CONNECTICUT

The Annual Registration Report of Vital Statistics, 1978, is a statistical summary of vital events for the State of Connecticut. Presented are data pertaining to births, deaths, marriages, and divorces.

Certain qualifications must be made with regard to the data contained herein, and should be kept in mind when examining data sets:

A. Under-reporting

Registration of births in Connecticut is 99.9 percent accurate, and there is virtually no under-reporting of deaths. However, for marriages, the rate of under-reporting is more difficult to determine since marriage certificates are not directly submitted to the State Department of Health. The rate of under-reporting for divorces is also not possible to determine, and for similar reasons. Both marriage and divorce data should be approached with these qualifications in mind.

B. "Residence" and "Occurrence" Data

Data regarding births and deaths are usually aggregated by place of residence of the individual experiencing the event. Marriages and divorces are reported according to place of occurrence.

C. Comparability of "Cause of Death" Data

The code for classifying the "cause-of-death", International Classification of Diseases (ICD) is revised every ten years to reflect changes in medical practices and new medical knowledge. This creates a limitation for comparisons of "cause-of-death" statistics between revision years. A ratio of comparability must be used, to adjust for changes in the cataloging of diseases from one ICD revision to the next.

D. Inferences from Vital Events Data

The reader should exercise caution in making interpretations and direct inferences based on rates that are calculated from a small number of events. This is especially true when comparing rates for different places and over several periods of time. Great variation in the rates will occur more frequently among smaller places. This may severely limit the usefulness of the data for estimating probabilities of certain events recurring (relative risk, etc.) and may also limit their usefulness for comparisons.

E. Deletions from Previous Reports

This Registration Report of 1978 reflects a major re-organization in form and content. Accordingly, many tables which have appeared in past registration reports have not and will no longer be printed. Needs of the principal readers of this report were used to establish the criteria for selection of tables and other information here presented.

However, data published in past reports will continue to be calculated and will be on file for dissemination on request. This information can be obtained by contacting the Statistics and Demography Section of the Division of Health Statistics, 79 Elm Street, Hartford, Connecticut 06115, 566-5451 or 566-8515.

POPULATION

The estimated population of Connecticut as of July 1, 1978 was 3,174,774. This reflects a natural increase of 11,156, and a net migration of 2,208. The population estimated for 1978 is a 0.4 percent increase over the previous year.

BIRTHS

In 1978 the number of resident live births was 37,112. This represents an increase of 480 from 1977 and a slight increase in the birth rate, to 11.7 per 1,000 population. Only 954 births, or 2.6% of all births to Connecticut residents occurred out-of-state. There was a total of 4,426 births to teenage mothers (19 years of age or less), or 11.9% of all resident births, a decrease from 12.2% of the total resident births in 1977.

Fetal Deaths

The fetal death rate showed virtually no change in 1978 with a total count of 303 or 8.2 deaths per 1,000 live births. The highest rate occurred among pregnant women 40 years of age and older (30.0 fetal deaths per 1,000 live births), followed by 35-39 years of age (14.7), and 15-19 years of age (12.0).

DEATHS

The number of registered deaths among Connecticut residents for 1978 was 25,941, for a crude rate of 8.2 per 1,000 population. This current rate is a 1.2 percent increase over the 1977 rate. Of the total number of resident deaths, 13,631 were males and 12,310 were females. A total of 26,105 deaths occurred in Connecticut in 1978.

Of the total number of resident deaths, the greatest number occurred among persons 80 years of age or over. Deaths in this age group numbered 8,730 in 1978, or 34 percent of the total number of resident deaths. The median age at death was 73.4. Death for females occurred at an older age than males, 77.6, compared to 69.8, respectively.

The leading cause of death among the 15 to 34 age group was accidents. Among the 35 to 44 group the leading cause was malignant neoplasms, and for those over 65, diseases of the heart was the leading cause of death.

Leading Causes of Death

In 1978 the five leading causes of death, in the order of their proportional share, were diseases of the heart, malignant neoplasms, cerebrovascular disease, accidents, and pneumonia and influenza.

Diseases of the Heart

Heart diseases accounted for 10,022 resident deaths in 1978, for a total proportional share of 38.6 percent. This reflects a decrease of 0.9 percent in the crude rate from the previous year. The median age at death from heart disease was 76.9. Other ischemic heart disease had a 47.1 percent share of the total heart disease mortality compared with a 39.9 percent share for acute myocardial infarction. Median age at death from myocardial infarction was 72.1; for other ischemic heart disease, median age was 81.5.

Malignant Neoplasms

There were 5,977 deaths attributed to malignant neoplasms in 1978, a proportional share of 23.0 percent of all resident mortality. The median age at death due to cancer among males was 68.8, compared to 69.1 among females. Malignant neoplasms of the digestive organs accounted for 28.1 percent of all deaths in this category. This site is followed by malignant neoplasms of the respiratory system (22.3 percent), of the breast (10.5 percent), and of the lymphatic and hematopoietic tissue (9.2 percent).

Cerebrovascular Disease

Cerebrovascular disease was responsible for 2,384 resident deaths in Connecticut; this cause of death had a proportional share of 9.2 percent of total resident deaths. The median age at death from cerebrovascular disease was 80.7.

Accidents

Accidents of all types recorded accounted for 3.9 percent of all resident deaths in 1978. Of this total proportional share, 48.0 percent was attributed to resident motor vehicle accidents.

The share in motor vehicle accidental deaths was highest among those 24 years of age and less, at 54.5 percent. This contrasts notably to the national share of 44.9 percent for this age group. The leading cause of non-motor vehicle accidents was falls, which had a 20.1 percent share of the total accidents.

Pneumonia and Influenza

Deaths from these causes amounted to 3.1 percent of total resident deaths. The crude mortality rate increased 23.2 percent over the 1977 crude rate of 20.3 percent.

Infant Deaths

There were 428 resident infant deaths in Connecticut in 1978, a rate of 11.5 per 1,000 live births, compared to the previous year's total of 486, or 13.3 deaths per 1,000 live births. This represents a reduction in infant deaths by 12.3 percent, and contrasts favorably with the national total decrease of only 2.2 percent, from 1977 to 1978. Of all resident infant deaths, 49 percent occurred within the first day, 68 percent within the first week, and 80 percent within the first month.

Neonatal deaths showed a 9 percent decrease from 373 in 1977 to 341 in the current year. This contrasts with a national decrease of 4 percent.

MARRIAGES

Marriages occurring in Connecticut totaled 24,001 for 1978, an increase of 871, or 3.8 percent from the previous year. The current year's total represents a marriage rate of 15.1 persons marrying per 1,000 population.

The median age at marriage for grooms was 25.2, and for brides, 22.9.

DIVORCES

There were 12,690 divorces granted in Connecticut during 1978, for a divorce rate of 8 persons divorced per 1,000 population. The current rate represents a 2.7 percent increase in divorce from the previous year, and continues to rise above what has previously been recorded as the highest divorce rate in Connecticut's history.

Duration of Marriage

The median duration of those marriages which terminated in 1978 was 7.8 years.

TABLE 1-POPULATION ESTIMATES BY AGE AND SEX: CONNECTICUT
AS OF JULY 1, 1978

<u>AGE GROUP</u>	<u>MALE</u>	<u>FEMALE</u>	<u>TOTAL</u>
TOTAL	1,541,707	1,633,067	3,174,774
Total Under 5	98,000	95,600	193,600
Under 1 yr.	18,481	17,979	36,460
1-4	79,519	77,621	157,140
5-9	138,300	132,200	270,500
10-14	134,700	130,500	265,200
15-19	147,600	142,800	290,400
20-24	144,600	144,800	289,400
25-29	126,900	126,900	253,800
30-34	104,000	115,400	219,400
35-39	98,100	101,200	199,300
40-44	84,600	88,300	172,900
45-49	83,000	88,200	171,200
50-54	87,800	94,400	182,200
55-59	84,600	93,600	178,200
60-64	72,400	83,800	156,200
65-69	54,900	67,600	122,500
70-74	37,900	51,800	89,700
75 & over	44,307	75,967	120,274
75-79	23,200	36,800	60,000
80-84	13,100	23,700	36,800
85 & over	8,007	15,467	23,474
Median age	29.2	31.9	30.6

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1978

TOWN	Population estimated as of July 1, 1978	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total deaths		Marriages				
						Total		Illegitimate		All Races	Non-white	All Races	Non-white	All Races	Non-white	Groom	Bride	
						All Races	Non-white	All Races	Non-white									
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
CONNECTICUT	3,174,774*	36,844	303	26,105	24,001	37,112	5,198	6,234	2,895	303	70	25,941	1,278	24,001	24,001	11.7	8.2	15.1
HEALTH SERVICE AREA I	661,900	7,594	53	5,273	4,829	7,070	1,440	1,475	813	61	18	5,523	371	3,834	4,210	10.7	8.3	12.2
(Southwestern)	148,000	4,083	24	2,217	1,091	2,501	798	951	516	20	11	1,533	179	1,147	1,090	16.9	10.4	15.1
Bridgeport	23,000	-	-	48	182	153	1	3	-	1	-	143	-	66	113	6.7	6.2	7.8
Darien	6,200	-	-	16	43	46	-	1	-	1	-	50	-	24	31	7.4	8.1	8.9
Fairfield	59,100	1	3	255	398	405	7	20	1	4	1	496	3	278	336	6.9	8.4	10.4
Greenwich	64,000	764	4	498	515	469	21	14	3	7	1	464	10	251	321	7.3	7.2	8.9
Monroe	13,600	3	-	14	47	140	3	5	-	-	-	63	1	53	66	10.3	4.6	8.8
New Canaan	19,700	1	-	48	180	112	2	4	-	1	-	121	4	83	109	5.7	6.1	9.7
Norwalk	79,100	1,218	6	834	574	967	216	171	105	6	1	663	58	587	563	12.2	8.4	14.5
Stamford	107,500	1,522	16	994	827	1,239	326	238	161	11	4	941	98	703	777	11.5	8.8	13.8
Stratford	50,800	2	-	139	372	490	49	52	24	6	-	489	13	309	351	9.6	9.6	13.0
Trumbull	35,000	-	-	86	261	257	10	11	3	1	-	243	2	153	217	7.3	6.9	10.6
Weston	9,500	-	-	11	57	43	-	-	-	1	-	34	1	30	39	4.5	3.6	7.3
Westport	29,100	-	-	83	206	148	4	4	-	2	-	189	1	104	135	5.1	6.5	8.2
Wilton	17,300	-	-	30	76	100	3	1	-	-	-	94	1	46	62	5.8	5.4	6.2

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1978

TOWN	Population estimated as of July 1, 1978	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total deaths		Marriages		Live Births	Deaths	Persons Marrying
						Total		Illegitimate		All Races	Non-white	All Races	Non-white	Groom	Bride			
						All Races	Non-white	All Races	Non-white									
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HEALTH SERVICE AREA II (South Central)	601,400	7,679	82	5,511	4,380	7,213	1,325	1,391	776	65	14	5,258	342	4,078	4,238	12.0	8.7	13.8
Ansonia	20,200	1	-	29	160	245	29	29	15	2	-	215	20	145	161	12.1	10.6	15.1
Bethany	4,500	-	-	6	29	40	2	1	-	-	-	23	2	21	26	8.9	5.1	10.4
Branford	22,100	1	-	52	187	253	8	18	-	-	-	193	3	192	193	11.4	8.7	17.4
Derby	12,500	666	3	425	108	145	-	22	1	1	-	128	2	99	95	11.6	10.2	15.5
East Haven	24,300	1	-	39	176	246	1	22	-	6	-	182	-	188	215	10.1	7.5	16.6
Guilford	15,600	1	-	83	106	207	1	10	1	3	-	91	-	96	89	13.3	5.8	11.9
Hamden	50,600	-	-	220	330	453	61	33	18	3	2	515	16	260	296	9.0	10.2	11.0
Madison	13,200	1	-	35	90	137	1	5	-	1	-	86	-	55	64	10.4	6.5	9.0
Meriden	56,800	1,048	12	607	429	710	47	103	18	12	1	513	14	448	468	12.5	9.0	16.1
Milford	51,700	465	2	395	456	556	12	46	2	4	1	421	7	390	435	10.8	8.1	16.0
New Haven	130,000	5,495	65	2,539	1,001	2,069	1,016	927	675	19	9	1,333	241	830	813	15.9	10.3	12.6
North Branford	11,900	-	-	9	81	127	3	6	-	1	-	48	1	76	77	10.7	4.0	12.9
North Haven	23,700	-	-	61	134	155	2	8	-	1	-	165	5	120	151	6.5	7.0	11.4
Orange	15,400	-	-	28	106	87	4	2	-	-	-	102	2	58	81	5.6	6.6	9.0
Oxford	5,700	-	-	4	59	84	1	5	-	-	-	27	-	42	35	14.7	4.7	13.5
Seymour	13,900	-	-	24	90	156	8	9	-	1	-	104	-	113	100	11.2	7.5	15.3
Shelton	30,700	-	-	172	154	386	5	23	1	3	-	225	1	173	196	12.6	7.3	12.0
Wallingford	36,000	-	-	226	286	391	7	26	-	3	-	348	4	286	282	10.9	9.7	15.8
West Haven	53,700	-	-	538	322	696	114	92	43	5	1	483	24	451	431	13.0	9.0	16.4
Woodbridge	8,900	-	-	19	76	70	3	4	2	-	-	56	-	35	30	7.9	6.3	7.3

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1978

TOWN	Population estimated as of July 1, 1978	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total deaths		Marriages		Live Births	Deaths	Persons Marrying
						Total		Illegitimate		All Races	Non-white	All Races	Non-white	Groom	Bride			
						All Races	Non-white	All Races	Non-white									
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HEALTH SERVICE AREA III (Eastern)	500,340	5,211	40	3,731	4,222	6,428	421	676	162	51	8	3,893	85	3,690	3,861	12.8	7.8	15.1
Ashford	2,800	-	-	2	16	23	-	2	-	-	-	15	-	18	18	8.2	5.4	12.9
Bozrah	2,500	-	-	1	10	21	-	-	-	-	-	17	-	11	11	8.4	6.8	8.8
Brooklyn	5,700	-	-	25	42	39	1	1	-	1	-	49	-	34	38	6.8	8.6	12.6
Canterbury	3,300	-	-	3	31	57	1	7	-	1	-	15	-	25	22	17.3	4.5	14.2
Chaplin	1,700	-	-	1	12	17	-	2	-	1	-	5	-	10	7	10.0	2.9	10.0
Chester	3,400	1	-	34	28	43	1	3	1	-	-	25	-	26	36	12.6	7.4	18.2
Clinton	11,200	-	-	25	80	143	2	6	-	-	-	70	-	89	87	12.8	6.3	15.7
Colchester	7,900	1	-	26	47	125	5	7	2	1	-	42	-	57	55	15.8	5.3	14.2
Columbia	3,500	-	-	3	39	41	1	3	-	1	-	31	-	23	20	11.7	8.9	12.3
Coventry	8,700	3	-	10	60	102	1	4	-	1	-	54	1	58	70	11.7	6.2	14.7
Cromwell	8,600	-	-	37	62	92	5	3	1	-	-	76	-	78	79	10.7	8.8	18.3
Deep River	4,000	1	-	34	37	49	1	-	-	-	-	43	-	46	44	12.3	10.8	22.5
Durham	5,200	1	-	6	58	51	-	2	-	-	-	29	-	39	43	9.8	5.6	15.8
Eastford	1,100	-	-	6	9	8	-	-	-	-	-	8	-	9	6	7.3	7.3	13.6
East Haddam	5,200	2	-	9	53	65	3	7	-	-	-	27	-	27	31	12.5	5.2	11.2
East Hampton	8,400	-	-	34	56	121	-	12	-	-	-	56	-	70	68	14.4	6.7	16.4
East Lyme	13,700	1	3	16	130	157	2	9	-	-	-	89	-	111	116	11.5	6.5	16.6
Essex	5,100	-	-	45	48	49	2	2	-	1	-	78	-	33	43	9.6	15.3	14.9
Franklin	1,700	-	-	1	11	9	-	-	-	-	-	16	-	3	6	5.3	9.4	5.3
Griswold	8,600	1	-	31	78	139	-	10	-	-	-	60	-	68	73	16.2	7.0	16.4
Groton	37,800	600	4	154	375	771	55	63	11	4	-	224	10	298	308	20.4	5.9	16.0
Haddam	6,100	-	-	15	34	78	4	2	-	-	-	43	-	35	44	12.8	7.0	13.0
Hampton	1,300	1	-	4	14	20	3	3	3	-	-	17	2	13	13	15.4	13.1	20.0
Killingly	15,600	-	-	132	113	225	2	27	-	1	-	157	-	131	120	14.4	10.1	16.1
Killingworth	3,500	-	-	2	20	55	-	3	-	-	-	22	-	24	16	15.7	6.3	11.4
Lebanon	4,700	1	-	2	27	54	-	1	-	1	-	27	-	27	29	11.5	5.7	11.9

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1978

TOWN	Population estimated as of July 1, 1978	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total deaths		Marriages		Live Births	Deaths	Persons Marrying
						Total		Illegitimate		All Races	Non-white	All Races	Non-white	Groom	Bride			
						All Races	Non-white	All Races	Non-white									
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HEALTH SERVICE																		
ARFA III																		
(Eastern)																		
Ledyard	16,500	2	-	8	75	229	5	19	2	-	-	39	2	90	91	13.9	2.4	11.0
Lisbon	3,300	-	-	3	8	46	-	4	-	-	-	31	-	23	30	13.9	9.4	16.1
Lyme	1,900	-	-	4	8	12	-	2	-	-	-	21	-	11	11	6.3	11.1	11.6
Mansfield	18,700	1	-	21	104	102	9	6	1	-	-	71	-	79	87	5.5	3.8	8.9
Middlefield	4,200	-	-	4	17	33	-	1	-	-	-	23	-	28	24	7.9	5.5	12.4
Middletown	37,700	907	4	659	317	452	89	70	41	4	2	328	16	302	301	12.0	8.7	16.0
Montville	16,800	2	-	11	109	229	11	19	2	1	-	90	2	131	134	13.6	5.4	15.8
New London	30,600	1,448	11	577	418	513	128	124	66	5	2	321	25	268	280	16.8	10.5	17.9
North Stonington	4,100	1	-	12	42	42	-	2	-	-	-	18	-	21	23	10.2	4.4	11.5
Norwich	43,400	1,155	12	737	414	601	45	94	17	9	2	421	11	368	394	13.8	9.7	17.6
Old Lyme	5,700	1	-	16	70	52	-	-	-	-	-	50	-	41	48	9.1	8.8	15.6
Old Saybrook	9,300	-	-	96	93	74	3	5	1	2	1	91	2	47	59	8.0	9.8	11.4
Plainfield	12,500	-	-	39	120	183	2	20	1	2	-	95	-	107	114	14.6	7.7	17.7
Pomfret	2,600	-	-	8	50	27	1	4	-	-	-	19	-	22	20	10.4	7.3	16.2
Portland	9,000	-	-	48	71	87	5	10	2	2	-	78	3	55	63	9.7	8.7	13.1
Preston	4,100	-	-	47	45	26	1	3	-	-	-	30	1	26	29	6.3	7.3	13.4
Putnam	8,900	703	3	280	71	122	2	19	-	-	-	107	1	53	59	13.7	12.0	12.6
Salem	1,900	1	-	1	13	28	-	2	-	-	-	14	-	20	14	14.7	7.4	17.9
Scotland	1,000	-	-	-	7	7	-	-	-	-	-	7	-	3	5	7.0	7.0	8.0
Sprague	3,200	-	-	7	19	61	3	5	2	2	-	35	-	21	24	19.1	10.9	14.1
Sterling	1,900	-	-	3	11	20	-	2	-	-	-	16	-	14	22	10.5	8.4	18.9
Stonington	17,000	-	-	42	198	177	-	7	-	-	-	139	1	125	136	10.4	8.2	15.4
Thompson	8,600	-	-	17	83	113	2	7	-	-	-	70	-	49	47	13.1	8.1	11.2
Union	540	-	-	-	8	5	-	1	-	-	-	1	-	6	4	9.3	1.9	18.5
Voluntown	1,600	-	-	-	-	25	-	1	-	-	-	15	-	14	12	15.6	9.4	16.3
Waterford	18,500	3	-	131	109	140	7	7	-	2	-	146	5	109	150	7.6	7.9	14.0
Westbrook	4,900	-	-	11	48	43	1	3	-	-	-	57	-	39	33	8.8	11.6	14.7
Willington	4,300	-	-	8	23	59	1	2	-	2	-	19	-	32	36	13.7	4.4	15.8
Windham	20,800	374	3	275	164	317	17	56	9	3	1	208	2	193	184	15.2	10.0	18.1
Woodstock	5,500	-	-	8	17	49	-	2	-	-	-	37	1	30	21	8.9	6.7	9.3

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1978

TOWN	Population estimated as of July 1, 1978	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total deaths		Marriages		Live Births	Deaths	Persons Marrying
						Total		Illegitimate		All Races	Non-white	All Races	Non-white	Groom	Bride			
						All Races	Non-white	All Races	Non-white									
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HEALTH SERVICE AREA IV (North Central)	912,900	11,112	90	7,491	6,939	10,643	1,583	2,015	912	77	20	7,228	362	6,183	6,556	11.7	7.9	14.0
Andover	2,200	-	-	2	6	29	-	-	-	-	-	8	-	13	19	13.2	3.6	14.5
Avon	10,100	-	-	93	85	83	3	2	-	2	-	73	-	52	59	8.2	7.2	11.0
Berlin	15,500	-	-	29	124	137	5	4	2	1	-	105	-	84	115	8.8	6.8	12.8
Bloomfield	20,400	-	-	112	108	169	64	29	19	1	-	141	14	107	111	8.3	6.9	10.7
Bolton	3,900	-	-	4	38	42	1	1	-	1	1	20	-	38	32	10.8	5.1	17.9
Bristol	55,400	543	4	418	467	661	34	74	9	2	-	410	2	463	505	11.9	7.4	17.5
Burlington	5,000	-	-	8	27	75	-	1	-	2	-	26	-	23	19	15.0	5.2	8.4
Canton	7,600	-	-	10	37	89	2	1	-	-	-	46	-	57	47	11.7	6.1	13.7
East Granby	4,100	1	-	4	15	56	6	2	1	-	-	14	-	19	30	13.7	3.4	12.0
East Hartford	54,300	1	1	164	364	590	58	71	21	2	-	476	5	406	451	10.9	8.8	15.8
East Windsor	9,000	-	-	35	93	115	4	13	1	-	-	69	2	67	65	12.8	7.7	14.7
Ellington	9,200	-	-	13	59	140	2	7	-	1	-	49	-	67	72	15.2	5.3	15.1
Enfield	45,500	-	-	152	384	486	18	22	5	3	-	281	3	270	296	10.7	6.2	12.4
Farmington	16,200	382	7	278	131	144	7	6	1	-	-	106	1	118	118	8.9	6.5	14.6
Glastonbury	24,100	-	-	66	196	268	4	9	1	4	-	135	-	128	158	11.1	5.6	11.9
Granby	7,200	-	1	11	52	112	1	1	-	1	-	30	-	37	41	15.6	4.2	10.8
Hartford	146,300	6,816	52	2,818	1,125	2,575	1,127	1,365	769	28	18	1,380	286	1,018	966	17.6	9.4	13.6
Hartland	1,500	-	-	2	6	24	-	-	-	-	-	13	-	12	9	16.0	8.7	14.0
Hebron	5,100	-	-	3	19	101	-	2	-	2	-	13	-	36	40	19.8	2.5	14.9
Manchester	48,400	1,178	10	564	429	540	23	45	5	2	-	401	3	389	388	11.2	9.5	16.1
Marlborough	4,000	-	-	2	41	72	1	1	-	-	-	16	1	26	28	18.0	4.0	13.5
New Britain	78,600	1,697	14	910	653	853	103	168	55	5	-	794	17	665	655	10.9	10.1	16.8
Newington	27,900	-	-	225	232	290	9	10	-	3	-	172	1	187	211	10.4	6.2	14.3
Plainville	17,000	-	-	43	113	182	6	16	2	-	-	121	3	123	119	10.7	7.1	14.2
Plymouth	11,100	1	-	31	82	109	-	13	-	2	-	92	-	69	70	9.8	8.3	12.5

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1978

TOWN	Population estimated as of July 1, 1978	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total deaths		Marriages				
						Total		Illegitimate		All Races	Non-white	All Races	Non-white	Groom	Bride			
						All Races	Non-white	All Races	Non-white									
																All Races	Non-white	All Races
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HEALTH SERVICE																		
AREA IV																		
(North Central)																		
Rocky Hill	12,000	-	-	214	84	150	7	5	-	-	-	96	2	134	136	12.5	8.0	22.5
Simsbury	20,900	-	-	37	154	205	5	5	-	-	-	101	-	83	108	9.8	4.8	9.1
Somers	7,200	-	-	13	57	88	1	3	-	1	-	42	-	43	49	12.2	5.8	12.8
Southington	34,200	2	-	175	272	408	7	27	-	3	1	237	5	239	284	11.9	6.9	15.3
South Windsor	16,500	-	-	54	139	151	7	8	2	1	-	91	2	86	114	9.2	5.5	12.1
Stafford	10,000	1	-	101	75	143	4	7	1	3	-	77	-	76	96	14.3	7.7	17.2
Suffield	10,100	-	-	18	59	97	4	6	1	-	-	71	-	52	39	9.6	7.0	9.0
Tolland	9,300	1	-	5	54	98	2	4	-	-	-	31	-	42	49	10.5	3.3	9.8
Vernon	28,500	487	1	256	196	377	15	40	2	1	-	184	1	262	232	13.2	6.5	17.3
West Hartford	68,200	-	-	326	458	434	13	12	4	3	-	690	1	273	359	6.4	10.1	9.3
Wethersfield	27,600	-	-	85	206	188	5	10	2	-	-	239	-	157	181	6.8	8.7	12.2
Windsor	24,600	-	-	179	213	258	34	20	9	2	-	233	13	175	201	10.5	9.5	15.3
Windsor Locks	14,200	2	-	31	86	104	1	5	-	1	-	85	-	87	84	7.3	6.0	12.0

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1978

TOWN	Population estimated as of July 1, 1978	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total deaths		Marriages		Live Births	Deaths	Persons Marrying
						Total		Illegitimate		All Races	Non-white	All Races	Non-white	Groom	Bride			
						All Races	Non-white	All Races	Non-white									
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HEALTH SERVICE AREA V (Northwestern)	487,290	5,248	38	4,099	3,631	5,758	429	677	232	44	9	4,037	118	3,119	3,265	11.8	8.3	13.1
Barkhamsted	2,700	-	-	3	6	31	-	2	-	-	-	14	-	9	10	11.5	5.2	7.0
Beacon Falls	4,100	-	-	4	18	57	1	7	1	-	-	36	-	19	29	13.9	8.8	11.7
Bethel	13,400	-	-	18	108	205	3	11	1	-	-	92	4	76	83	15.3	6.9	11.9
Bethlehem	2,400	1	-	7	19	24	-	1	-	1	-	26	-	11	16	10.0	10.8	11.3
Bridgewater	1,700	1	-	2	15	23	-	-	-	-	-	12	-	6	6	13.5	7.1	7.1
Brookfield	11,500	-	-	14	51	132	5	6	-	-	-	71	-	50	70	11.5	6.2	10.4
Canaan	1,100	-	-	1	9	31	2	1	-	-	-	19	1	16	10	28.2	17.3	23.6
Cheshire	22,100	-	-	97	139	195	5	9	-	1	-	136	-	94	116	8.8	6.2	9.5
Colebrook	1,200	-	-	3	7	13	-	1	-	-	-	12	-	7	9	10.8	10.0	13.3
Cornwall	1,200	-	-	8	22	11	1	-	-	-	-	20	-	17	14	9.2	16.7	25.8
Danbury	58,400	1,598	8	684	470	785	85	91	42	5	1	422	17	458	433	13.4	7.2	15.3
Goshen	1,600	-	-	3	23	8	-	-	-	-	-	19	-	7	4	5.0	11.9	6.9
Harwinton	5,200	-	-	6	21	54	-	4	-	-	-	21	-	12	25	10.4	4.0	7.1
Kent	2,400	1	-	11	16	24	-	-	-	-	-	28	-	10	10	10.0	11.7	8.3
Litchfield	8,000	-	-	27	62	72	1	5	-	4	-	77	1	47	47	9.0	9.6	11.8
Middlebury	6,400	1	-	29	52	43	2	2	-	-	-	42	-	26	34	6.7	6.6	9.4
Morris	1,800	-	-	5	13	18	1	2	-	-	-	12	-	14	17	10.0	6.7	17.2
Naugatuck	25,600	1	-	59	158	310	5	21	-	1	-	203	1	159	164	12.1	7.9	12.6
New Fairfield	9,700	-	-	13	56	122	-	3	-	1	-	38	-	46	53	12.6	3.9	10.2
New Hartford	4,600	1	-	9	22	58	2	2	1	-	-	29	1	33	32	12.6	6.3	14.1
New Milford	16,900	250	3	229	126	298	3	25	-	1	-	151	2	147	153	17.6	8.9	17.8
Newtown	17,500	1	-	124	121	211	4	6	-	2	-	123	1	95	118	12.1	7.0	12.2
Norfolk	2,200	1	1	6	19	40	-	5	-	-	-	24	-	21	18	18.2	10.9	17.7
North Canaan	3,200	-	-	59	29	25	-	-	-	1	-	30	-	13	12	7.8	9.4	7.8
Prospect	6,800	-	-	39	62	50	1	4	-	1	-	54	-	38	50	7.4	7.9	12.9
Redding	7,600	-	-	10	63	66	1	2	-	1	-	35	-	25	40	8.7	4.6	8.6

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1978

POPULATION AND VITAL STATISTICS OF CONNECTICUT, 1978																				
TOWN	Population estimated as of July 1, 1978	Place of Occurrence				Place of Residence														
		Live Births	Fetal Deaths	Deaths	Marriages	Live Births				Fetal Deaths		Total deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION				
						Total		Illegitimate		All Races	Non-white	All Races	Non-white	All Races	Non-white	Groom	Bride	Live Births	Deaths	Persons Marrying
						All Races	Non-white	All Races	Non-white											
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18		
HEALTH SERVICE AREA V (Northwestern)																				
Ridgefield	20,200	1	-	43	180	170	-	5	-	3	-	101	1	100	103	8.4	5.0	10.0		
Roxbury	1,500	-	-	3	16	7	-	-	-	-	-	13	-	12	16	4.7	8.7	18.7		
Salisbury	3,700	1	-	24	36	37	2	6	-	-	-	53	-	18	24	10.0	14.3	11.4		
Sharon	2,700	327	2	170	42	22	-	2	-	-	-	31	1	20	16	8.1	11.5	13.3		
Sherman	2,000	-	-	5	10	24	-	-	-	-	-	20	1	12	10	12.0	10.0	11.0		
Southbury	12,000	1	-	87	76	104	-	3	-	-	-	135	1	45	57	8.7	11.3	8.5		
Thomaston	6,300	1	-	15	68	65	-	2	-	1	-	53	-	62	61	10.3	8.4	19.5		
Torrington	31,300	589	5	449	226	342	11	31	4	2	-	339	3	234	232	10.9	10.8	14.9		
Warren	990	-	-	4	19	12	-	-	-	-	-	7	-	4	8	12.1	7.1	12.1		
Washington	3,500	-	-	11	45	45	-	2	-	2	-	34	-	21	26	12.9	9.7	13.4		
Waterbury	112,000	2,341	19	1,604	799	1,508	286	379	182	14	8	1,091	81	811	792	13.5	9.7	14.3		
Watertown	19,600	1	-	63	149	182	2	7	-	1	-	138	1	121	130	9.3	7.0	12.8		
Winchester	11,700	129	-	118	110	149	-	19	-	1	-	124	-	80	82	12.7	10.6	13.8		
Wolcott	13,500	-	-	23	91	120	4	8	-	1	-	95	1	70	89	8.9	7.0	11.8		
Woodbury	7,000	1	-	17	57	65	2	3	1	-	-	57	-	53	46	9.3	8.1	14.1		
Unknown Town of Residence																				
OUT-OF-STATE		954		926		686				5	1	1,090		3,097	1,871					
*Includes population of 10,944 in State and Federal Institutions.																				

*Includes population of 10,944 in State and Federal Institutions.

TABLE 3: LIVE BIRTHS, CONNECTICUT RESIDENTS, 1978

ALL RACES											
Age of Mother											
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
Column Number	1	2	3	4	5	6	7	8	9	10	11
Total	37112	79	4347	10753	12727	7216	1704	252	14	1	19
Sex:											
Male	19018	48	2294	5475	6597	3626	839	124	6	1	8
Female	18093	31	2053	5277	6130	3590	865	128	8	-	11
Unknown	1	-	-	1	-	-	-	-	-	-	-
Place of delivery:											
Hospitals	37005	78	4341	10720	12688	7195	1699	250	14	1	19
Other	102	1	6	31	36	21	5	2	-	-	-
Unknown	5	-	-	2	3	-	-	-	-	-	-
Legitimacy:											
Legitimate	30878	10	1904	8520	11780	6836	1571	226	14	-	17
Illegitimate	6234	69	2443	2233	947	380	133	26	-	1	2
Child number:											
First	9484	49	2026	3229	3075	974	114	12	-	-	5
Second	7995	3	651	2313	3061	1693	247	25	-	-	2
Third	3939	2	146	909	1382	1206	272	20	1	-	1
Fourth	1532	-	30	288	492	507	185	29	1	-	-
Fifth	624	-	5	76	176	238	104	24	1	-	-
Sixth	236	-	-	23	52	93	54	13	1	-	-
Seventh	152	-	-	10	32	51	40	18	1	-	-
Eighth	67	-	-	5	14	20	22	5	1	-	-
Ninth	42	-	-	-	8	9	16	9	-	-	-
Tenth or more	70	-	-	9	16	14	19	11	1	-	-
Not stated	12971	25	1489	3891	4419	2411	631	86	7	1	11
Period of gestation:											
Under 20 weeks	20	-	8	6	4	1	1	-	-	-	-
20-27 weeks	157	2	30	49	39	28	9	-	-	-	-
28-31 weeks	206	3	43	49	67	31	11	2	-	-	-
32-35 weeks	697	2	115	207	215	115	37	5	1	-	-
36 weeks	660	2	124	202	190	94	40	8	-	-	-
37-39 weeks	7672	13	806	2028	2739	1645	379	59	-	-	3
40 weeks or over	21985	38	2495	6571	7584	4194	942	138	7	1	15
Not stated	5715	19	726	1641	1889	1108	285	40	6	-	1
Weight at birth:											
1000 grams or less	235	1	51	74	63	26	17	3	-	-	-
1001-1500 grams	231	4	49	48	76	33	20	1	-	-	-
1501-2000 grams	471	2	74	145	142	82	24	2	-	-	-
2001-2500 grams	1611	8	295	502	493	224	78	10	1	-	-
2501-3000 grams	6214	18	942	1960	1916	1067	264	43	1	-	3
3001-3500 grams	14098	37	1787	4248	4834	2554	548	73	7	1	9
3501-4000 grams	10418	8	914	2861	3801	2262	500	65	2	-	5
4001-4500 grams	3033	1	192	774	1125	711	185	41	2	-	2
Over 4500 grams	601	-	32	117	220	179	40	12	1	-	-
Not stated	207	-	11	24	57	78	28	2	-	-	-
Flural births:											
Single	36420	73	4303	10595	12446	7062	1655	252	14	1	19
Twins	659	6	44	152	266	148	43	-	-	-	-
Triplets	33	-	-	6	15	6	6	-	-	-	-

TABLE 3, (Continued)

NON-WHITE										
Age of Mother										
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over
Column Number	1	2	3	4	5	6	7	8	9	10
										Not stated
Total	5198	49	1290	1791	1222	602	202	39	1	1
Sex:										
Male	2586	28	687	876	590	287	97	19	-	1
Female	2611	21	603	914	632	315	105	20	1	-
Unknown	1	-	-	1	-	-	-	-	-	-
Place of delivery:										
Hospitals	5186	48	1289	1788	1217	600	202	39	1	1
Other	12	1	1	3	5	2	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-
Legitimacy:										
Legitimate	2303	6	177	691	796	467	138	27	1	-
Illegitimate	2895	43	1113	1100	426	135	64	12	-	1
Child number:										
First	1151	28	528	344	183	51	16	1	-	-
Second	941	2	226	370	209	106	21	6	-	1
Third	623	1	66	255	180	91	29	1	-	-
Fourth	324	-	19	121	96	59	25	4	-	-
Fifth	147	-	2	34	47	44	16	4	-	-
Sixth	68	-	-	8	30	23	3	4	-	-
Seventh	45	-	-	7	17	8	3	-	-	-
Eighth	23	-	-	3	7	7	6	-	-	-
Ninth	11	-	-	-	3	4	2	2	-	-
Tenth or more	17	-	-	-	3	3	7	4	-	-
Not stated	1848	18	449	649	447	206	67	10	1	1
Period of gestation:										
Under 20 weeks	5	-	2	3	-	-	-	-	-	-
20-27 weeks	51	2	12	20	7	6	4	-	-	-
28-31 weeks	53	2	14	12	19	5	1	-	-	-
32-35 weeks	139	1	40	50	22	17	7	2	-	-
36 weeks	140	2	45	54	22	6	7	4	-	-
37-39 weeks	1126	4	262	363	291	156	42	8	-	-
40 weeks or over	2620	23	615	921	628	312	97	21	1	1
Not stated	1064	15	300	368	233	100	44	4	-	-
Weight at birth:										
1000 grams or less	85	1	22	36	13	6	7	-	-	-
1001-1500 grams	63	4	21	12	14	5	7	-	-	-
1501-2000 grams	111	2	25	41	24	15	4	-	-	-
2001-2500 grams	398	3	118	162	73	25	15	2	-	-
2501-3000 grams	1249	13	335	466	268	117	42	8	-	-
3001-3500 grams	2039	22	548	676	480	234	63	13	1	1
3501-4000 grams	989	3	185	329	269	149	44	10	-	-
4001-4500 grams	203	1	27	58	67	35	11	4	-	-
Over 4500 grams	54	-	5	9	14	16	8	2	-	-
Not stated	7	-	4	2	-	-	1	-	-	-
Flural births:										
Single	5088	43	1275	1750	1194	589	10	39	1	1
Twins	107	6	15	41	28	13	-	-	-	-
Triplets	3	-	-	-	-	-	3	-	-	-

TABLE 5: CAUSES OF FETAL DEATHS OCCURRING IN CONNECTICUT, 1978

ICDA No.	CAUSES OF FETAL DEATH (ICDA, Ninth Revision)	TOTAL	TIME OF DEATH		
			Before Labor	During Labor	No Report
	Total, All Causes	303	154	31	118
740	Anencephalus and similar anomalies	9	2	2	5
741	Spina bifida	1	1	-	-
744	Congenital anomalies of ear, face and neck	1	1	-	-
746	Other congenital anomalies of heart	1	1	-	-
748	Congenital anomalies of respiratory system	1	-	-	1
758	Chromosomal anomalies	1	1	-	-
759	Other and unspecified congenital anomalies	8	3	1	4
760	Maternal conditions which may be unrelated to present pregnancy	11	6	1	4
761	Maternal complications of pregnancy	23	14	4	5
762	Complications of placenta, cord and membranes	127	72	12	43
763	Other complications of labor and delivery	5	2	-	3
764	Slow fetal growth and fetal malnutrition	1	1	-	-
765	Short gestation and unspecified low birthweight	16	4	1	11
766	Long gestation and high birthweight	2	1	-	1
767	Birth trauma	1	-	-	1
768	Intrauterine hypoxia and birth asphyxia	24	13	1	10
770	Other respiratory conditions of fetus	3	1	1	1
771	Infections specific to the perinatal period	1	-	-	1
772	Fetal and neonatal hemorrhage	3	1	1	1
773	Hemolytic disease of fetus, due to isoimmunization	3	3	-	-
775	Endocrine and metabolic disturbances specific to fetus	6	4	-	2
776	Hematological disorders of fetus	1	-	-	1
778	Conditions involving the integument and temperature regulation of fetus	1	-	1	-
779	Other and ill-defined conditions originating in perinatal period	53	23	6	24

- 1 -

See footnotes at end of table.

TABLE 6, CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1978-Continued

ICDA 8TH REVISION	TOTAL	WHITE	NON WHITE	AGE AT DEATH																								OVER 65	UNKN- OWN
				UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84				
250 DIABETES MELLITUS																													
MALE.....	177	169	8	-	1	-	-	-	1	-	-	1	-	3	3	4	2	6	7	14	24	27	29	23	19	14	-		
FEMALE.....	256	240	16	-	-	-	-	-	-	-	-	1	-	2	2	1	2	7	8	15	19	23	29	51	46	50	-		
280-285 ANEMIAS																													
MALE.....	16	14	2	-	-	-	-	-	-	-	2	1	1	-	1	-	1	-	-	-	2	-	-	3	3	4	-		
FEMALE.....	24	23	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	10	-		
303 ALCOHOLISM																													
MALE.....	64	52	12	-	-	-	-	-	-	-	-	-	-	-	2	4	8	8	4	8	11	10	7	2	1	1	-		
FEMALE.....	17	13	4	-	-	-	-	-	-	-	-	-	-	2	4	1	4	1	1	5	1	3	-	-	-	-	-		
320 MENINGITIS																													
MALE.....	10	7	3	-	1	2	-	-	3	1	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	2	-		
FEMALE.....	12	12	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-		
390-448 MAJOR CARDIOVASCULAR DISEASE																													
MALE.....	6,616	6,358	258	3	1	-	-	-	4	-	2	2	7	6	18	39	76	194	321	503	750	853	876	873	953	1,129	-		
FEMALE.....	6,636	6,407	229	2	1	-	-	-	3	3	2	3	4	3	9	11	27	47	101	159	315	465	670	1,020	1,381	2,414	-		
390-398, 402, 404, 410- 429 DISEASES OF THE HEART																													
MALE.....	5,279	5,077	202	3	1	-	-	-	4	-	2	-	3	4	16	31	69	177	296	450	648	719	680	673	720	787	-		
FEMALE.....	4,743	4,594	149	1	1	-	-	-	2	1	2	2	2	2	8	7	17	37	74	119	245	356	512	734	987	1,636	-		
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																													
MALE.....	82	81	1	-	-	-	-	-	-	-	-	-	1	-	1	2	-	3	5	4	5	12	16	12	7	12	2	-	
FEMALE.....	135	127	8	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	4	5	17	21	20	24	22	16	-		
402, 404 HYPERTENSIVE HEART DISEASE																													
MALE.....	52	47	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	8	10	8	4	6	5	-		
FEMALE.....	71	67	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	5	8	13	12	23	-		
410-414 ISCHEMIC HEART DISEASE																													
MALE.....	4,575	4,428	147	-	-	-	-	-	-	-	-	-	-	-	10	26	56	137	240	394	550	620	593	606	630	712	-		
FEMALE.....	4,150	4,037	113	-	-	-	-	-	-	-	-	-	-	-	2	3	13	27	56	90	186	294	440	643	878	1,517	-		

See footnotes at end of table.

TABLE 6. CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1978-Continued

ICDA 8TH REVISION	TOTAL	WHITE	NON WHITE	AGE AT DEATH																				OVER 65	UNKN- OWN
				UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74		
424-428 CHRONIC ENDOCARDIUM AND MYOCARDIAL INSUFFICIENCY																									
MALE.....	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420-423, 425-427, 429 ALL OTHER HEART DISEASE																									
MALE.....	567	518	49	3	1	-	-	-	4	-	2	-	2	2	5	3	9	34	48	46	78	72	66	56	72
FEMALE.....	374	350	24	1	1	-	-	-	2	1	1	1	2	4	3	2	7	13	19	37	34	43	54	75	68
400, 401, 403 HYPERTENSION																									
MALE.....	28	26	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	44	40	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-438 CEREBROVASCULAR DISEASE																									
MALE.....	973	930	43	-	-	-	-	-	-	-	-	-	3	1	8	5	16	23	41	75	100	145	149	179	226
FEMALE.....	1,411	1,345	66	1	-	-	-	-	-	2	-	1	1	1	2	6	9	24	30	58	87	123	212	299	554
440 ARTERIOSCLEROSIS																									
MALE.....	135	129	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	239	237	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES																									
MALE.....	201	196	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	199	191	8	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	2	8	21	34	29	29	29
470-474 INFLUENZA																									
MALE.....	15	15	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	3	7	8	12	22	44	39	57
FEMALE.....	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486 PNEUMONIA																									
MALE.....	380	362	18	7	3	1	-	-	11	3	-	3	-	4	3	4	6	9	11	19	29	39	56	62	112
FEMALE.....	364	351	13	4	2	1	-	-	7	-	1	1	-	4	2	1	2	4	6	10	14	11	29	41	64

See footnotes at end of table.

TABLE 6. CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1978-Continued

ICDA 8TH REVISION	TOTAL	WHITE	NON WHITE	AGE AT DEATH																								OVER 85	UNKN- OWN
				UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84				
490-491 CHRONIC AND UNQUALIFIED BRONCHITIS																													
MALE.....	41	39	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	8	11	7	4	-			
FEMALE.....	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	5	3	2	-				
492 EMPHYSEMA																													
MALE.....	113	112	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	16	19	25	18	17	9	-			
FEMALE.....	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	8	7	3	5	11	-				
493 ASTHMA																													
MALE.....	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	7	8	7	3	5	11	-			
FEMALE.....	23	19	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	1	-			
531-533 PEPTIC ULCER																													
MALE.....	31	28	3	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	1	3	2	4	3	2	1	-			
FEMALE.....	20	27	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	1	6	3	6	2	6	-			
550-553, 560 HERNIA AND OTHER INTESTINAL OBSTRUCTION																													
MALE.....	30	29	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	6	2	-	5	5	10	-			
FEMALE.....	37	36	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	-	5	2	6	15			
571 CIRRHOSIS OF LIVER																													
MALE.....	296	268	28	-	-	-	-	-	-	-	-	1	1	6	7	8	20	24	39	45	50	52	25	16	-	2	-		
FEMALE.....	186	167	19	-	-	-	-	-	-	-	-	-	-	-	6	8	17	18	34	26	21	23	14	10	8	1	-		
580-584 NEPHRITIS AND NEPHROSIS																													
MALE.....	54	50	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	7	9	4	8	11	10	-		
FEMALE.....	52	42	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	5	5	11	7	7	7	7	-		
590 INFECTIONS OF KIDNEY																													
MALE.....	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	5	5	11	7	7	7	-		
FEMALE.....	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	5	-		
600 HYPERPLASIA OF PROSTATE																													
MALE.....	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	2	2	2	-		
740-759 CONGENITAL ANOMALIES																													
MALE.....	76	71	5	54	2	-	1	-	57	2	3	2	1	-	-	-	-	1	1	1	3	1	1	1	-	-			
FEMALE.....	57	50	7	33	3	1	-	-	37	5	2	2	1	-	1	3	-	1	2	-	1	1	1	-	1	-			

See footnotes at end of table.

TABLE 6. CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1970-Continued

ICDA 8TH REVISION	TOTAL	WHITE	NON WHITE	AGE AT DEATH																						OVER 85	UNKN- OWN
				UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84		
760-769.2, 769.4- 772, 774-778 CERTAIN CAUSES OF INFANT MORTALITY																											
MALE.....	122	84	38	122	-	-	-	-	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	119	91	28	119	-	-	-	-	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-796 SYMPTOMS AND ILL-DEFINED CONDITIONS																											
MALE.....	136	117	19	25	-	-	-	1	26	-	1	6	4	10	13	4	5	1	6	9	7	11	7	9	5	12	-
FEMALE.....	103	90	13	14	1	1	-	-	16	1	-	5	2	4	4	3	9	3	12	4	4	8	4	5	2	17	-
E800-E949 ACCIDENTS																											
MALE.....	700	659	49	-	-	1	6	3	10	16	21	114	125	64	40	30	24	28	36	37	35	23	18	23	26	38	-
FEMALE.....	308	290	18	1	4	1	2	2	10	9	8	33	28	9	7	7	17	8	14	14	11	20	12	19	23	59	-
E810-E823 MOTOR VEHICLE ACCIDENTS																											
MALE.....	362	338	26	-	-	-	3	-	3	6	11	89	93	41	24	14	10	9	15	8	13	6	6	8	4	2	-
FEMALE.....	126	120	6	-	1	1	1	1	4	5	3	28	24	7	1	4	7	5	9	4	4	10	3	5	3	-	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																											
MALE.....	46	36	10	-	-	-	2	1	3	4	3	7	7	4	3	2	4	2	1	-	2	-	1	1	-	2	-
FEMALE.....	11	11	-	-	-	-	-	1	1	-	-	-	2	-	2	-	2	-	2	-	-	1	-	-	1	-	-
E950-E959 SUICIDE AND SELF- INFLECTED INJURY																											
MALE.....	232	224	8	-	-	-	-	-	-	-	3	9	42	25	23	8	20	17	11	16	12	14	10	8	10	4	-
FEMALE.....	90	92	6	-	-	-	-	-	-	-	-	6	8	5	9	10	7	12	12	6	8	8	2	2	1	2	-
E960-E970 HOMICIDE																											
MALE.....	83	60	23	2	1	-	-	-	3	-	1	1	20	18	8	10	11	2	2	6	1	-	-	-	-	-	-
FEMALE.....	43	29	14	-	1	-	-	-	1	1	-	8	7	6	7	2	3	3	1	-	-	1	1	-	-	1	-
ALL OTHER CAUSES																											
MALE.....	1,053	1,008	45	7	3	1	2	-	13	6	4	8	16	21	9	15	11	30	46	79	112	126	134	155	133	134	1
FEMALE.....	850	807	51	17	3	-	1	-	21	2	4	7	8	7	8	11	17	19	34	46	75	85	96	112	146	160	-

- Data not available.

TABLE 7: CAUSES OF DEATH AMONG NONWHITES, CONNECTICUT RESIDENTS, 1978

ICDA BIH REVISION	AGE AT DEATH																									
	TOTAL	UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 85	UNKN-OWN	
TOTAL, ALL CAUSES...	1,278	112	5	2	1	3	123	6	9	15	30	36	34	37	71	86	103	98	120	125	103	113	76	93	-	
MALE.....	716	61	1	1	-	3	66	5	5	6	21	24	20	22	47	52	62	61	72	77	57	50	40	29	-	
FEMALE.....	562	51	4	1	1	-	57	1	4	9	9	12	14	15	24	34	41	37	48	48	46	63	36	64	-	
8-9 ENTERITIS AND OTHER DIARRHEAL DISEASES																										
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE.....	4	3	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
10-19 TUBERCULOSIS																										
MALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	
10-12 TB, RESPIRATORY SYSTEM																										
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
FEMALE.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38 SEPTICEMIA																										
MALE.....	3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
FEMALE.....	6	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	
90-97 SYPHILIS AND ITS SEQUELAE																										
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
ALL OTHER INFECTIVE AND PARASITIC DISEASES																										
MALE.....	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE.....	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	
140-209 MALIGNANT NEOPLASMS																										
MALE.....	175	-	-	-	-	-	-	-	1	3	1	-	1	2	10	12	18	23	28	26	18	17	10	5	-	
FEMALE.....	107	-	-	-	-	-	-	-	-	-	-	1	1	3	-	11	18	8	20	16	7	13	4	4	-	
210-239 BENIGN AND UNSPECIFIED NEOPLASMS																										
MALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
FEMALE.....	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	
250 DIABETES MELLITUS																										
MALE.....	8	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	1	2	-	1	-	-	-	
FEMALE.....	16	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	2	3	1	4	-	1	-	

See footnotes at end of table.

TABLE 7: CAUSES OF DEATH AMONG NONWHITES, CONNECTICUT RESIDENTS, 1978-Continued

ICDA 8TH REVISION	AGE AT DEATH																										
	TOTAL	UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 85	UNKN-OWN		
280-285 ANEMIAS																											
MALE.....	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
303 ALCOHOLISM																											
MALE.....	12	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
FEMALE.....	4	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	2	1	2	-	-	-	-		
320 MENINGITIS																											
MALE.....	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-		
390-448 MAJOR CARDIOVASCULAR DISEASE																											
MALE.....	253	1	1	-	-	-	2	-	-	-	-	2	3	4	9	24	28	23	30	35	27	24	24	23	-		
FEMALE.....	229	2	-	-	-	-	2	-	-	-	-	1	2	1	9	10	13	19	18	20	25	37	22	50	-		
390-398, 402, 404, 410-429 DISEASES OF THE HEART																											
MALE.....	202	1	1	-	-	-	2	-	-	-	-	2	2	2	8	20	24	18	24	29	18	15	19	19	-		
FEMALE.....	149	1	-	-	-	-	1	-	-	-	-	1	2	-	6	6	9	15	12	14	16	23	16	29	-		
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																											
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-		
FEMALE.....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-		
402, 404 HYPERTENSIVE HEART DISEASE																											
MALE.....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	1	1	-	-	-		
FEMALE.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-		
410-414 ISCHEMIC HEART DISEASE																											
MALE.....	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
FEMALE.....	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
420-423, 425-427, 429 ALL OTHER HEART DISEASE																											
MALE.....	49	1	1	-	-	-	2	-	-	-	-	2	1	-	2	9	10	5	6	3	2	2	2	3	-		
FEMALE.....	24	1	-	-	-	-	1	-	-	-	-	1	1	-	1	2	-	5	3	4	1	2	1	2	-		

See footnotes at end of table.

TABLE 7: CAUSES OF DEATH AMONG NONWHITES, CONNECTICUT RESIDENTS, 1978-Continued

ICDA 8TH REVISION	AGE AT DEATH																									
	TOTAL	UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 85	UNKN-OW.	
400, 401, 403 HYPERTENSION																										
MALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
FEMALE.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	
430-438 CEREBROVASCULAR DISEASE																										
MALE.....	43	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	4	3	4	5	7	8	4	1	-	
FEMALE.....	66	1	-	-	-	-	1	-	-	-	-	-	-	2	2	4	4	4	6	4	5	13	5	18	-	
440 ARTERIOSCLEROSIS																										
MALE.....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
FEMALE.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	2	-	
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES																										
MALE.....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	
FEMALE.....	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	3	1	1	1	-	
480-486 PNEUMONIA																										
MALE.....	18	3	-	-	-	-	3	-	-	-	1	1	-	1	-	1	2	1	3	1	1	2	1	-	-	
FEMALE.....	13	1	-	-	-	-	1	-	-	1	-	1	-	-	1	1	1	1	1	-	2	1	2	1	-	
490-491 CHRONIC AND UNQUALIFIED BRONCHITIS																										
MALE.....	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
492 EMPHYSEMA																										
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
493 ASTHMA																										
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
FEMALE.....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
531-533 PEPTIC ULCER																										
MALE.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
550-553, 560 HERNIA AND OTHER INTESTINAL OBSTRUCTION																										
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	

See footnotes at end of table.

TABLE 71 CAUSES OF DEATH AMONG NONWHITES, CONNECTICUT RESIDENTS, 1978-Continued

ICDA 8TH REVISION	AGE AT DEATH																										
	TOTAL	UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 85	UNKN-OWN		
571 CIRRHOSIS OF LIVER																											
MALE.....	28	-	-	-	-	-	-	-	-	-	-	-	4	3	7	6	6	-	1	1	-	-	-	-	-	-	
FEMALE.....	19	-	-	-	-	-	-	-	-	-	-	-	2	1	5	5	4	2	-	-	-	-	-	-	-	-	
580-584 NEPHRITIS AND NEPHROSIS																											
MALE.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	
FEMALE.....	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	1	2	1	-	-	
740-759 CONGENITAL ANOMALIES																											
MALE.....	5	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE.....	7	5	-	-	-	-	5	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
760-769.2, 769.4-772, 774-778 CERTAIN CAUSES OF INFANT MORTALITY																											
MALE.....	38	38	-	-	-	-	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE.....	28	28	-	-	-	-	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
780-796 SYMPTOMS AND ILL-DEFINED CONDITIONS																											
MALE.....	19	10	-	-	-	-	10	-	-	-	1	2	1	2	1	-	-	1	-	1	-	-	-	-	-	-	
FEMALE.....	13	4	-	-	-	-	4	-	-	1	1	2	2	1	-	-	1	1	-	-	1	-	-	-	-	-	
E800-E949 ACCIDENTS																											
MALE.....	49	-	-	-	-	3	3	3	3	2	11	4	1	5	7	3	2	2	-	-	1	1	1	1	-	-	
FEMALE.....	18	-	1	-	1	-	2	-	-	2	2	-	1	-	3	1	2	1	-	-	-	1	1	1	2	-	
E810-E823 MOTOR VEHICLE ACCIDENTS																											
MALE.....	26	-	-	-	-	-	-	1	2	-	8	3	1	4	3	-	1	1	-	-	1	-	1	-	-	-	
FEMALE.....	6	-	-	-	-	-	-	-	-	2	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	
E910 ACCIDENTAL DROWNING AND SUBMERSION																											
MALE.....	10	-	-	-	-	1	1	1	-	1	2	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	

See footnotes at end of table.

TABLE 7: CAUSES OF DEATH AMONG NONWHITES, CONNECTICUT RESIDENTS, 1978-Continued

ICDA 8TH REVISION	AGE AT DEATH																										
	TOTAL	UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	OVER 85	UNKN-OWN		
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																											
MALE.....	8	-	-	-	-	-	-	-	-	-	1	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE.....	6	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	
E960-E978 HOMICIDE																											
MALE.....	23	1	-	-	-	-	1	-	-	-	4	6	3	3	5	-	-	-	-	-	-	-	-	-	-	-	
FEMALE.....	14	-	1	-	-	-	1	-	-	-	4	3	2	1	1	-	-	1	-	-	-	-	-	-	-	-	
ALL OTHER CAUSES																											
MALE.....	45	1	-	-	-	-	1	-	1	-	1	5	1	1	3	4	2	6	6	7	3	2	1	1	-	-	
FEMALE.....	51	5	1	-	-	-	5	1	2	2	1	3	-	3	2	2	2	2	4	3	5	5	3	4	-	-	

- Data not available.

TABLE B: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1978

	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICDA 8TH REVISION									
	ALL RACES	NON WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	INFECTIVE AND PARASITIC DISEASES 000-136	DISEASES OF THE RESPIRATO- RY SYSTEM 460-519	INFLUENZA AND PNEUMONIA 470-474, 480-486	DISEASES OF THE DIGESTIVE SYSTEM 520-577	CONGENITAL ANOMALIES 740-759	BIRTH INJURIES 764-768 (.0-.3), 772	ASPHYXIA OF NEWBORN, UNSPECI- FIED 776.9	IMMATURITY UNQUALI- FIED 777	ACCIDENTS E800-E949	ALL OTHER CAUSES
CONNECTICUT.....	428	112	209	84	48	34	53	16	13	11	3	87	19	40	54	1	195
HSA 1 SOUTHWESTERN.....	84	31	45	12	9	7	11	3	3	2	-	18	4	4	15	-	36
BRIDGEPORT.....	41	20	20	8	6	3	4	1	1	1	-	6	2	4	6	1	21
DARLEN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTON.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FAIRFIELD.....	5	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	4
GREENWICH.....	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONROE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW CANAAN.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORWALK.....	13	7	7	1	-	2	3	1	-	-	-	4	-	-	1	-	6
STAMFORD.....	11	3	7	1	2	-	1	1	1	1	-	1	1	-	2	-	2
STRAITFORD.....	2	1	1	-	-	-	1	-	-	-	-	-	-	-	5	-	1
THURBULL.....	5	-	2	-	1	1	1	-	1	-	-	2	1	-	-	-	1
WESTON.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTFORD.....	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
WILTON.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 2 SOUTH CENTRAL.....	76	23	37	19	8	3	9	2	4	3	-	14	2	9	10	-	1
ANSONIA.....	2	1	-	-	1	-	1	1	1	1	-	-	-	-	-	-	35
BETHANY.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRANFORD.....	5	-	3	1	1	-	-	-	1	-	-	2	-	-	1	-	1
DERBY.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HAVEN.....	2	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
GUILFORD.....	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	1
HARDEN.....	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
MADISON.....	1	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-
MERIDEN.....	12	1	3	5	3	-	1	-	-	-	-	-	-	3	1	-	6
MILFORD.....	7	-	2	1	2	-	2	-	-	1	-	2	-	1	1	-	2
NEW HAVEN.....	28	19	18	5	1	2	2	1	-	-	-	4	-	3	2	-	17
NORTH BRANFORD.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH HAVEN.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORANGE.....	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OXFORD.....	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1
SEYMOUR.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
SHELTON.....	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WALLINGFORD.....	4	-	3	-	-	1	-	-	-	-	-	-	-	1	-	-	1
WEST HAVEN.....	6	1	3	1	-	-	2	-	1	1	-	-	-	1	-	-	3
WOODBRIIDGE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
HSA 3 EASTERN.....	60	5	33	12	4	5	6	2	-	-	-	13	1	6	6	-	32

See footnotes at end of table.

TABLE 8: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1978-Continued

	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICDA 8TH REVISION									
	ALL RACES	NON WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	INFECTIVE AND PARASITIC DISEASES 000-136	DISEASES OF THE RESPIRATO- RY SYSTEM 460-519	INFLUENZA AND PNEUMONIA 470-474, 480-486	DISEASES OF THE DIGESTIVE SYSTEM 520-577	CONGENITAL ANOMALIES 740-759	BIRTH INJURIES 764-768 [.0-.3], 772	ASPHYXIA OF NEWBORN; UNSPECI- FIED 776.9	IMMATURITY UNQUALI- FIED 777	ACCIDENTS E800-E949	ALL OTHER CAUSES
ASHFORD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOZRAH	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
CANTERBURY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHAPLIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLINTON	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
COLCHESTER	3	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1
COLUMBIA	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
COVENTRY	2	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	1
CROMWELL	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
DEEP RIVER	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
DURHAM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HAMPTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST LYME	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ESSEX	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
GROTON	7	2	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1
HADDAM	1	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	5
HAMPTON	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
KILLINGLY	3	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGWORTH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2
LEDYARD	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
LISBON	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3
LYME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
MANSFIELD	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLEFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLETOWN	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1
MONTEVILLE	3	-	3	-	-	-	-	1	-	-	-	-	1	-	-	-	-
NEW LONDON	5	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-	2
N STONINGTON	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
NORWICH	7	1	1	3	-	2	-	-	-	-	-	-	-	2	1	-	-
OLD LYME	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
OLD SAYBROOK	2	-	2	-	-	-	-	-	-	-	-	2	-	-	1	-	4

See footnotes at end of table.

TABLE 8: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1978-Continued

	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICDA 8TH REVISION									
	ALL RACES	NON WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	INFECTIVE AND PARASITIC DISEASES 000-136	DISEASES OF THE RESPIRATO- RY SYSTEM 460-519	INFLUENZA AND PNEUMONIA 470-474, 480-486	DISEASES OF THE DIGESTIVE SYSTEM 520-577	CONGENITAL ANOMALIES 740-759	BIRTH INJURIES 764-768 (.0-.3), 772	ASPHYXIA OF NEWBORN, UNSPECI- FIED 776.9	IMMATURITY UNQUALI- FIED 777	ACCIDENTS E800-E949	ALL OTHER CAUSES
PLAINFIELD	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
POMFRET	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
PRESTON	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
PUTNAM	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
SALEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STERLING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THOMPSON	1	-	1	-	-	-	1	-	-	-	-	2	-	-	-	-	-
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
VOLUNTOON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERFORD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WILLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINDHAM	4	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-
WOODSTOCK	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
USA & NORTH CENTRAL	156	44	68	30	21	16	21	8	4	4	2	24	10	16	19	-	4
ANDOVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
AVON	1	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	73
BERLIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BLOOMFIELD	3	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
BOLTON	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRISTOL	10	1	2	2	3	2	1	1	-	-	-	-	-	1	-	-	2
BURLINGTON	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
CANTON	1	-	-	1	-	-	-	-	-	-	-	-	2	1	1	-	4
EAST GRANBY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HARTFORD	9	1	2	2	1	1	3	1	-	-	-	-	-	-	-	-	1
EAST WINDSOR	2	-	1	1	-	-	-	-	-	-	-	4	-	-	-	-	-
ELLINGTON	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	4
ENFIELD	9	-	4	3	-	1	1	-	-	-	-	-	-	-	-	-	1
FARMINGTON	2	-	1	1	1	-	-	-	-	-	-	1	1	1	1	-	5
GLASTONBURY	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
GRANBY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARTFORD	60	38	31	9	6	7	7	5	4	4	1	6	3	5	9	-	27
HARTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TAB. 8: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1978-Continued

	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICDA 8TH REVISION									
	ALL RACES	NON WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	INFECTIVE AND PARASITIC DISEASES 000-136	DISEASES OF THE RESPIRATO- RY SYSTEM 460-519	INFLUENZA AND PNEUMONIA 470-474, 480-486	DISEASES OF THE DIGESTIVE SYSTEM 520-577	CONGENITAL ANOMALIES 740-759	BIRTH INJURIES 764-768 (.0-.3), 772	ASPHYXIA OF NEWBORN, UNSPECI- FIED 776.9	IMMATURITY UNQUALI- FIED 777	ACCIDENTS E850-E949	ALL OTHER CAUSES
MANCHESTER	6	-	3	1	1	-	1	-	-	-	-	1	-	1	-	-	3
MARLBOROUGH	2	-	1	-	1	-	-	-	-	-	-	-	-	2	-	-	-
NEW BRITAIN	12	1	6	2	1	1	2	-	-	-	1	2	-	1	-	-	8
NEWINGTON	3	-	2	-	-	-	1	-	-	-	-	-	-	1	-	-	3
PLAINVILLE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
PLYMOUTH	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ROCKY HILL	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
SIMSURY	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
SOMERS	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
SOUTHINGTON	9	1	3	4	-	-	2	-	-	-	-	1	-	-	-	-	1
SOUTH WINDSOR	2	1	1	1	-	-	-	-	-	-	-	-	-	3	-	4	1
STAFFORD	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1
SUFFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOLLAND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	6	-	2	-	2	1	1	-	-	-	-	2	1	-	-	1	2
WEST HARTFORD	3	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	2
WETHERSFIELD	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
WINDSOR	5	-	3	1	1	-	-	-	-	-	-	-	2	-	-	-	2
WINDSOR LOCKS	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
HSA 5 NORTHWESTERN	52	9	26	11	6	3	6	1	2	2	1	18	2	5	4	-	19
DARKHAMSTED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEACON FALLS	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
BETHEL	4	-	1	2	-	1	-	-	-	-	-	1	-	1	-	-	2
BETHLEHEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESHIRE	2	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	1
COLEGROOK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY	7	2	5	1	-	-	1	-	-	-	1	4	-	1	-	-	2
GOSHEN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARTWINTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LITCHFIELD	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
MIDDLEBURY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MORRIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-

See footnotes at end of table.

TABLE 8: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1978-Continued

	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICDA 8TH REVISION									
	ALL RACES	NON WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MONTHS	3-11 MONTHS	INFECTIVE AND PARASITIC DISEASES 000-136	DISEASES OF THE RESPIRATO- RY SYSTEM 460-519	INFLUENZA AND PNEUMONIA 470-474, 480-486	DISEASES OF THE DIGESTIVE SYSTEM 520-577	CONGENITAL ANOMALIES 740-759	BIRTH INJURIES 764-768 (.0-.3), 772	ASPHYXIA OF NEWBORN, UNSPECI- FIED 776.9	IMMATURITY UNQUALI- FIED 777	ACCIDENTS E800-E949	ALL OTHER CAUSES
NEW FAIRFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW HARTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW MILFORD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEWTOWN	3	-	-	1	1	1	-	1	-	-	-	1	1	-	-	-	-
NORFOLK	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
PROSPECT	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
REDDING	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
RIDGEFIELD	3	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
ROXBURY	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2
SALISBURY	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SHERMAN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHURY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THOASTON	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
TORRINGTON	2	-	1	-	-	1	-	-	1	1	-	1	-	-	-	-	-
WARREN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY	14	7	8	4	1	-	1	-	1	1	-	-	-	-	-	-	-
WATERTOWN	4	-	2	1	-	-	-	-	1	-	-	6	-	2	-	2	3
WINCHESTER	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4
WOLCOTT	2	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	2
WOODBURY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-

- Data not available.

TABLE 9: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1978
ALL RACES

ICDA 8TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS - 2 MONTHS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS
TOTAL, ALL CAUSES...	428	209	84	31	10	7	341	23	11	19	10	8	6	2	4	1	2	1
MALE.....	229	104	46	19	5	5	179	15	8	9	4	6	4	2	2	1	2	1
FEMALE.....	199	105	38	12	5	2	162	8	5	10	6	2	2	2	2	-	-	-
000-136 INFECTIVE AND PARASITIC DISEASES																		
MALE.....	7	-	1	2	-	1	4	-	1	-	1	-	-	-	-	-	-	-
FEMALE.....	9	2	1	3	-	-	6	2	-	-	-	-	1	-	-	-	-	-
390-398, 402, 404, 410- 429 DISEASES OF THE HEART																		
MALE.....	3	-	2	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE.....	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
400-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE.....	7	1	1	1	-	-	3	2	1	-	1	-	-	-	-	-	-	-
FEMALE.....	6	-	1	1	-	1	3	-	1	-	1	-	-	-	1	-	-	-
420-486 PNEUMONIA																		
MALE.....	7	1	1	1	-	-	3	2	1	-	1	-	-	-	-	-	-	-
FEMALE.....	4	-	1	-	-	1	2	-	1	-	1	-	-	-	-	-	-	-
520-577 DISEASES OF THE DIGESTIVE SYSTEM																		
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE.....	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE.....	54	24	10	6	1	2	43	3	1	1	-	3	-	-	1	-	1	1
FEMALE.....	33	17	8	-	2	-	27	2	-	1	2	-	-	1	-	-	-	-

See footnotes at end of table.

TABLE 9: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1978-Continued
ALL RACES

ICDA 8TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS - 2 MONTHS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS
760-769.2, 769.4- 772, 774-778 CERTAIN CAUSES OF INFANT MORTALITY																		
MALE.....	122	75	29	9	3	1	117	3	-	-	1	-	-	-	-	1	-	-
FEMALE.....	119	79	26	7	2	1	115	1	1	1	1	-	-	-	-	-	-	-
764-769(.0-.3), 772 BIRTH INJURIES																		
MALE.....	10	2	4	1	1	1	9	1	-	-	-	-	-	-	-	-	-	-
FEMALE.....	9	3	3	2	1	-	9	-	-	-	-	-	-	-	-	-	-	-
776.9 ASPHYXIA OF NEWBORN, UNSPECIFIED																		
MALE.....	19	9	7	2	-	-	18	1	-	-	-	-	-	-	-	-	-	-
FEMALE.....	21	13	7	1	-	-	21	-	-	-	-	-	-	-	-	-	-	-
777 IMMATUREITY, UNQUALIFIED																		
MALE.....	26	25	-	-	-	-	25	-	-	-	1	-	-	-	-	-	-	-
FEMALE.....	28	26	1	-	-	-	27	-	-	-	1	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																		
FEMALE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE.....	35	4	3	1	1	1	10	7	3	7	1	3	2	-	1	-	1	-
FEMALE.....	28	6	1	1	1	-	9	3	3	6	2	2	1	1	1	-	-	-

See footnotes at end of table.

TABLE 9: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1970-Continued

WHITE

ICDA 8TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS - 2 MONTHS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS
TOTAL, ALL CAUSES...	316	148	64	27	8	5	252	16	8	13	8	8	3	2	3	1	1	1
MALE.....	168	73	36	16	4	3	132	11	3	5	4	6	3	-	1	-	1	1
FEMALE.....	148	75	28	11	4	2	120	5	5	8	4	2	-	2	2	-	-	-
000-136 INFECTIVE AND PARASITIC DISEASES																		
MALE.....	6	-	1	2	-	1	4	-	1	-	1	-	-	-	-	-	-	-
FEMALE.....	3	-	-	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-
390-398, 402, 404, 410- 429 DISEASES OF THE HEART																		
MALE.....	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE.....	4	-	1	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE.....	5	-	1	1	-	1	3	-	1	-	-	-	-	-	1	-	-	-
480-485 PNEUMONIA																		
MALE.....	4	-	1	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE.....	3	-	1	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-
520-577 DISEASES OF THE DIGESTIVE SYSTEM																		
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE.....	49	23	10	4	1	1	39	3	1	-	-	3	-	-	1	-	1	1
FEMALE.....	28	14	6	-	2	-	22	2	-	1	2	-	-	1	-	-	-	-
760-769, 2, 769, 4- 775, 771-778 CERTAIN CAUSES OF INFANT MORTALITY																		
MALE.....	84	47	22	8	2	1	80	2	-	-	1	-	-	-	-	1	-	-
FEMALE.....	91	57	21	7	1	1	87	1	1	1	1	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 9: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1978-Continued
WHITE

ICDA 8TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS - 2 MONTHS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS
764-768(.0-.3), 772 BIRTH INJURIES																		
MALE.....	6	2	1	1	1	1	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	9	3	3	2	1	-	9	-	-	-	-	-	-	-	-	-	-	-
770.9 ASPHYXIA OF NEWBORN, UNSPECIFIED																		
MALE.....	16	7	6	2	-	-	15	1	-	-	-	-	-	-	-	-	-	-
FEMALE.....	16	9	6	1	-	-	16	-	-	-	-	-	-	-	-	-	-	-
777 IMMATURE, UNQUALIFIED																		
MALE.....	16	15	-	-	-	-	15	-	-	-	1	-	-	-	-	-	-	-
FEMALE.....	17	16	-	-	-	-	16	-	-	-	1	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																		
MALE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE.....	22	3	1	1	1	-	6	5	1	4	1	3	2	-	1	-	-	-
FEMALE.....	19	4	-	1	1	-	6	1	3	4	1	2	-	1	1	-	-	-

See footnotes at end of table.

TABLE 9: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1978-Continued

NON WHITE

ICDA 8TH REVISION	AGE AT DEATH																		
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS - 2 MONTHS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
TOTAL, ALL CAUSES...	112	61	20	4	2	2	89	7	3	6	2	-	-	3	-	1	-	1	-
MALE.....	61	31	10	3	1	2	47	4	3	4	-	-	-	1	-	1	-	1	-
FEMALE.....	51	30	10	1	1	-	42	3	-	2	2	-	2	-	-	-	-	-	-
000-136 INFECTIVE AND PARASITIC DISEASES																			
MALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE.....	6	2	1	1	-	-	4	1	-	-	-	-	1	-	-	-	-	-	-
390-398, 402, 404, 410- 429 DISEASES OF THE HEART																			
MALE.....	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																			
MALE.....	3	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
460-486 PNEUMONIA																			
MALE.....	3	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
520-577 DISEASES OF THE DIGESTIVE SYSTEM																			
MALE.....	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																			
MALE.....	5	1	-	2	-	1	4	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE.....	5	3	2	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-
760-769.2, 769.4- 772, 774-778 CERTAIN CAUSES OF INFANT MORTALITY																			
MALE.....	28	28	7	1	1	-	37	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	28	22	5	-	1	-	28	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

- 6 -

TABLE 9: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1978-Continued

NON WHITE

ICDA 8TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS - 2 MONTHS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS
764-768(.0-.3), 772 BIRTH INJURIES																		
MALE.....	4	-	3	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
776.9 ASPHYXIA OF NEWBORN, UNSPECIFIED																		
MALE.....	3	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	5	4	1	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
777 IMMATUREITY, UNQUALIFIED																		
MALE.....	10	10	-	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	11	10	1	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE.....	13	1	2	-	-	1	4	2	2	3	-	-	-	-	-	-	1	-
FEMALE.....	9	2	1	-	-	-	3	2	-	2	1	-	1	-	-	-	-	-

- Data not available.

TABLE 10: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1978

Causes of Death ICDA 8th Revision	TOTAL DEATHS	AGE SPECIFIC DEATH RATE PER 100,000	CAUSE PER CENT WITHIN AGE GROUP	MALE DEATHS	AGE SPECIFIC MALE RATE PER 100,000	CAUSE PER CENT WITHIN AGE GROUP	FEMALE DEATHS	AGE SPECIFIC FEMALE RATE PER 100,000	CAUSE PER CENT WITHIN AGE GROUP
All Causes (under 1 year)*	428	11.5	100.0	229	12.0	100.0	199	11.0	100.0
Certain Diseases of Early Infancy (760-779 not listed below)	136	3.7	31.8	70	3.7	30.5	66	3.6	33.2
Congenital Anomalies (740-759)	87	2.3	20.3	54	2.8	23.5	33	1.8	16.6
Immaturity, unqualified (777)	54	1.5	12.6	26	1.4	11.4	28	1.5	14.1
Asphyxia of the New born (776.9)	32	0.9	7.5	16	0.8	7.0	16	0.9	8.0
Birth injuries (764-768 (.0-.3), 772)	19	0.5	4.4	10	0.5	4.4	9	0.5	4.5
Infective and parasitic diseases (000-136)	16	0.4	3.7	7	0.4	3.1	9	0.5	4.5
Influenza and Pneumonia (470-474, 480-486)	11	0.3	2.6	7	0.4	3.1	4	0.2	2.0
All other causes	73	2.0	17.1	39	2.1	17.0	34	1.9	17.1
All Causes (1-14 years)	204	29.5	100.0	119	33.8	100.0	85	25.0	100.0
Accidents, total (E800-E949)	73	10.5	35.8	47	13.4	39.5	26	7.6	30.6
Malignant neoplasms (140-209)	36	5.2	17.6	23	6.5	19.3	13	3.8	15.3
Congenital anomalies (740-759)	19	2.7	9.3	8	2.3	6.7	11	3.2	12.9
Influenza and Pneumonia (470-474, 480-486)	12	1.7	5.9	7	2.0	5.9	5	1.5	5.9
Diseases of the Heart (390-398, 402, 404, 410-429)	7	1.0	3.4	3	0.9	2.5	4	1.2	4.7
Infective and parasitic diseases (000-136)	7	1.0	3.4	4	1.1	3.4	3	0.9	3.5
Meningitis (320)	5	0.7	2.5	3	0.9	2.5	2	0.6	2.4
All other causes	45	6.5	22.1	24	6.8	20.2	21	6.2	24.7

TABLE 10: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1978

Causes of Death ICDA 8th Revision	TOTAL DEATHS	AGE SPECIFIC DEATH	CAUSE PER CENT WITHIN	MALE DEATHS	AGE SPECIFIC MALE	CAUSE PER CENT WITHIN	FEMALE DEATHS	AGE SPECIFIC FEMALE	CAUSE PER CENT WITHIN
		RATE PER 100,000	AGE GROUP		RATE PER 100,000	AGE GROUP		RATE PER 100,000	AGE GROUP
All Causes (15-24 years)	542	93.5	100.0	396	135.5	100.0	146	50.7	100.0
Accidents (E800-E949)	300	51.7	55.3	239	81.8	60.3	61	21.2	41.7
Suicide (F950-F949)	65	11.2	12.0	51	17.5	12.8	14	4.9	9.6
Homicide (E960-F978)	37	6.4	6.8	21	7.2	5.3	16	5.6	11.0
Malignant neoplasms (140-209)	32	5.5	5.9	20	6.8	5.1	12	4.2	8.2
Influenza and Pneumonia (470-474, 480-486)	8	1.4	1.5	7	2.4	1.8	1	0.3	0.7
Diseases of the Heart (390-398, 402, 404, 410-429)	7	1.2	1.5	3	1.0	0.8	4	1.4	2.7
Congenital anomalies (740-759)	6	1.0	1.1	3	1.0	0.8	3	1.0	2.1
All other causes	87	15.0	16.1	52	17.8	13.1	35	12.2	24.0
All Causes (25-44 years)	1112	131.1	100.0	717	173.4	100.0	395	91.5	100.0
Malignant Neoplasms (140-209)	276	26.6	20.3	110	26.6	15.3	116	26.9	29.4
Accidents (E800-F949)	198	23.1	17.6	158	38.2	22.0	40	9.3	10.1
Diseases of the Heart (390-398, 402, 404, 410-429)	154	18.2	13.9	120	29.0	16.7	34	7.9	8.6
Suicide (E950-F959)	107	12.7	9.7	76	18.4	10.6	31	7.2	7.8
Cirrhosis of the Liver (571)	72	8.5	6.5	41	9.9	5.7	31	7.2	7.8
Homicide (F960-F978)	65	7.7	5.9	47	11.4	6.6	18	4.2	4.6
Cerebrovascular Diseases (430-438)	26	3.1	2.3	16	3.9	2.2	10	2.3	2.5
All other causes	264	31.2	23.8	149	36.0	20.9	115	26.6	29.2

TABLE 10: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1978

Causes of Death ICDA 8th Revision	TOTAL DEATHS	AGE SPECIFIC DEATH RATE PER 100,000	CAUSE PER CENT WITHIN AGE GROUP	MALE DEATHS	AGE SPECIFIC MALE RATE PER 100,000	CAUSE PER CENT WITHIN AGE GROUP	FEMALE DEATHS	AGE SPECIFIC FEMALE RATE PER 100,000	CAUSE PER CENT WITHIN AGE GROUP
All Causes (45-64 years)	5864	852.6	100.0	3722	1135.4	100.0	2142	595.0	100.0
Diseases of the Heart (390-398, 402, 404, 410-429)	2046	297.5	34.9	1571	479.3	42.2	475	131.9	22.2
Malignant Neoplasms (140-209)	2028	294.5	34.6	1065	324.9	28.6	963	267.5	45.0
Cerebrovascular Diseases (430-438)	275	40.0	4.7	155	47.3	4.2	121	33.6	5.6
Cirrhosis of the Liver (571)	257	37.4	4.4	158	48.2	4.2	99	27.5	4.6
Accidents (E800-F949)	183	26.6	3.1	136	41.5	3.7	47	13.1	2.2
Diabetes Mellitus (250)	100	14.5	1.7	51	15.6	1.4	49	13.6	2.3
Suicide (F950-F959)	94	13.7	1.6	56	17.1	1.5	38	10.6	1.8
All other causes	880	127.9	15.0	530	161.7	14.2	350	97.2	16.3
All Causes (65 years and over)	17790	5350.8	100.0	8447	6160.9	100.0	9343	4782.3	100.0
Diseases of the Heart (390-398, 402, 404, 410-429)	7804	2347.3	44.0	3509	2610.4	42.4	4295	2162.6	45.3
Malignant Neoplasms (140-209)	3655	1099.3	20.6	1955	1425.9	23.1	1700	870.2	18.2
Cerebrovascular diseases (430-438)	2070	622.6	11.6	799	582.8	9.5	1275	652.6	13.7
Influenza and Pneumonia (470-474, 480-486)	658	197.9	3.7	312	227.6	3.7	349	178.6	3.7
General Arteriosclerosis (440)	361	108.6	2.0	128	93.4	1.5	234	119.8	2.5
Diabetes Mellitus (250)	311	93.5	1.7	112	81.7	1.3	199	101.9	2.1
Accidents (E800-F949)	261	78.5	1.5	128	93.4	1.5	133	68.1	1.4
All other causes	2658	799.5	14.9	1433	1045.2	17.0	1225	627.0	13.1

*Rates for persons under one year per 1,000 live births.

TABLE 11: NUMBER OF PRESENT MARRIAGE
CONNECTICUT 1978

		<u>GROOMS</u>					
<u>BRIDES</u>	TOTAL	First	Second	Third	Fourth	Fifth	Not Stated
TOTAL	24,001	16,732	6,451	704	66	14	34
First	17,438	14,609	2,630	176	10	1	12
Second	5,757	1,951	3,358	397	36	10	5
Third	665	143	392	109	18	2	1
Fourth	69	8	44	15	2	-	-
Fifth	12	1	6	4	-	1	-
Not Stated	60	20	21	3	-	-	16

TABLE 12: PREVIOUS MARITAL STATUS OF BRIDE AND GROOM
CONNECTICUT 1978

		<u>GROOM STATUS</u>				
<u>BRIDE STATUS</u>	TOTAL	Never Married	Widowed	Divorced	Annulment	Not Stated
TOTAL	24,001	16,728	876	6,355	27	15
Never Married	17,438	14,607	129	2,678	18	6
Widowed	776	122	370	284	-	-
Divorced	5,743	1,979	374	3,380	9	1
Annulment	21	10	3	8	-	-
Not Stated	23	10	-	5	-	8

TABLE 13: COUNTY OF DISSOLUTION OF MARRIAGES
CONNECTICUT 1978

Dissolution of Marriages	Total	Fairfield County	Hartford County	Litchfield County	Middlesex County	New Haven County	New London County	Tolland County	Windham County	Sex of Complainant		
										Male	Female	Not Stated
Total	12,690	3,014	3,181	551	598	3,031	1,217	597	501	4,010	8,519	161
Annulments	75	38	12	3	-	6	13	2	1	42	32	1
Divorces	12,615	2,976	3,169	548	598	3,025	1,204	595	500	3,968	8,487	160

TABLE 14: CHILDREN UNDER 18
AFFECTED BY MARRIAGE DISSOLUTION
CONNECTICUT 1978

Number of Children Under 18 Years Per Dissolution	Number of Dissolutions
Total	12,690
No children	5,455
One child	3,042
Two children	2,623
Three children	1,017
Four children	348
Five children	82
Six or more children	35
Not stated	88

TABLE 15: DURATION OF MARRIAGES DISSOLVED
CONNECTICUT 1978

Year Marriage Was Contracted	Number of Marriages Dissolved	Year Marriage Was Contracted	Number of Marriages Dissolved
TOTAL	12,690	1962	238
1978	38	1961	251
1977	480	1960	252
1976	835	1959	204
1975	949	1958	213
1974	1,003	1957	228
1973	899	1956	205
1972	854	1955	170
1971	722	1954	149
1970	710	1953	132
1969	652	1952	133
1968	538	1951-1947	492
1967	493	1946-1942	196
1966	436	1941-1937	87
1965	364	1936-1932	18
1964	379	Prior to 1932	12
1963	312	Unknown	46

GLOSSARY

Birth Weight	Weight of fetus or infant at a time of delivery (Reported in metric weight).
Fetal Death	Death prior to the complete expulsion or extraction from the mother of a product of conception, which has passed through at least the 20th week of gestation at 350 grams or more); the fetus shows no signs of life such as heart-beat, pulsation of the umbilical cord, or movement of voluntary muscles.
Gestational Period	Number of weeks elapsed between the first day of the last menstrual period and date of delivery.
Illegitimate Birth	Birth wherein there is no marital tie between mother and father.
Infant Death	Death occurring to an individual of less than 1 year of age.
Live Birth	The complete expulsion or extraction from the mother of a product of conception, irrespective of the duration of pregnancy; after such separation, breathes or shows other signs of life.
Birth Order	Equal to number of previous pregnancies plus the current birth.
Low Birth Weight	Birth wherein the birth weight is equivalent to 2,500 grams or less (approximately 5 lbs. 8 oz.).
Maternal Death	Those deaths wherein the physician has designated a maternal condition as the underlying cause of death.
Neonatal Death	Death occurring to an infant less than 28 days of age.
Occurrence	Place where the event actually occurred regardless of residence.
Perinatal Death	Fetal death or a death under one month of age.
Residence	Usual place of residence for person to whom event occurred. For births and fetal deaths residence is defined as the mother's usual place of residence.

RATES

Age-Adjusted Death Rate:	Sum of (Age-Specific Death Rates X Proportion of standard Population in Specific Age Group)	
Age-Specific Birth Rate:	$\frac{\text{No. of Resident Live Births for a Specific Age of Mother}}{\text{Total Female Population of Specific Age (Mid-Year)}} \times 1,000$	
Age-Specific Death Rate:	$\frac{\text{No. of Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}} \times 100,000$	
Crude Birth Rate:	$\frac{\text{No. of Resident Live Births}}{\text{Total Resident Population (Mid-Year)}} \times 1,000$	
Crude Death Rate:	$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Population (Mid-Year)}} \times 1,000$	
Divorce Rate:	$\frac{\text{No. of Persons (Divorces & Annulments)}}{\text{Total Resident Population (Mid-Year)}} \times 1,000$	
Fetal Death Rate:	$\frac{\text{No. of Resident Fetal Deaths}}{\text{Total Resident Live Births and Resident Fetal Deaths}} \times 1,000$	
Infant Death Rate:	$\frac{\text{No. of Infant Deaths}}{\text{Total Resident Live Births}} \times 1,000$	
Marriage Rate:	$\frac{\text{No. of Persons Married}}{\text{Total Resident Population (Mid-Year)}} \times 1,000$	
Maternal Death Rate:	$\frac{\text{No. of Maternal Deaths}}{\text{Total Resident Live Births}} \times 10,000$	
Neonatal Death Rate:	$\frac{\text{No. of Neonatal Deaths}}{\text{Total Resident Live Births}} \times 1,000$	